



Tour the new MGI Website or symbol or name

Quick Search

[About MGI](#)
[Help](#)
[FAQ](#)
[Phenotypes](#)
[Expression](#)
[Function](#)
[Pathways](#)
[Strains / SNPs](#)
[Orthology](#)
[Tumors](#)
[Search](#)
[Download](#)
[More Resources](#)
[Submit Data](#)
[Find Mice \(IMSR\)](#)
[Contact Us](#)



References

Query Results -- Summary

19 matching items displayed in reverse chronological order

J:124196, Bolden-Tiller OU; Chiarini-Garcia H; Poirier C; Alves-Freitas D; Weng CC; Shetty G; Meistrich ML. Genetic factors contributing to defective spermatogonial differentiation in juvenile spermatogonial depletion (Utp14bjsd) mice., *Biol Reprod* 2007 Aug;77(2):237-46

J:115870, Sun L; Peng Y; Sharrow AC; Iqbal J; Zhang Z; Papachristou DJ; Zaidi S; Zhu LL; Yaroslavskiy BB; Zhou H; Zallone A; Sairam MR; Kumar TR; Bo W; Braun J; Cardoso-Landa L; Schaffler MB; Moonga BS; Blair HC; Zaidi M. FSH directly regulates bone mass., *Cell* 2006 Apr 21;125(2):247-60

J:108336, Choi Y; Rajkovic A. Genetics of early mammalian folliculogenesis., *Cell Mol Life Sci* 2006 Mar;63(5):579-90

J:114693, Iqbal J; Sun L; Kumar TR; Blair HC; Zaidi M. Follicle-stimulating hormone stimulates TNF production from immune cells to enhance osteoblast and osteoclast formation., *Proc Natl Acad Sci U S A* 2006 Oct 3;103(40):14925-30

J:115456, Garcia-Campayo V; Boime I; Ma X; Daphna-Iken D; Kumar TR. A single-chain tetradomain glycoprotein hormone analog elicits multiple hormone activities in vivo., *Biol Reprod* 2005 Feb;72(2):301-8

J:87442, Johnston H; Baker PJ; Abel M; Charlton HM; Jackson G; Fleming L; Kumar TR; O'Shaughnessy PJ. Regulation of Sertoli cell number and activity by follicle-stimulating hormone and androgen during postnatal development in the mouse., *Endocrinology* 2004 Jan;145(1):318-29

J:109752, Trousdale RK; Wolgemuth DJ. Bromodomain containing 2 (Brd2) is expressed in distinct patterns during ovarian folliculogenesis independent of FSH or GDF9 action., *Mol Reprod Dev* 2004 Jul;68(3):261-8

J:95552, Combelles CM; Carabatsos MJ; Kumar TR; Matzuk MM; Albertini DF. Hormonal control of somatic cell oocyte interactions during ovarian follicle development., *Mol Reprod Dev* 2004 Nov;69(3):347-55

J:91232, Hirst RC; Abel MH; Wilkins V; Simpson C; Knight PG; Zhang FP; Huhtaniemi I; Kumar TR; Charlton HM. Influence of mutations affecting gonadotropin production or responsiveness on expression of inhibin subunit mRNA and protein in the mouse ovary., *Reproduction* 2004 Jul;128(1):43-52

J:81408, Baker PJ; Pakarinen P; Huhtaniemi IT; Abel MH; Charlton HM; Kumar TR; O'Shaughnessy PJ. Failure of normal Leydig cell development in follicle-stimulating hormone (FSH) receptor-deficient mice, but not FSHbeta-deficient mice: role for constitutive FSH receptor activity., *Endocrinology* 2003 Jan;144(1):138-45

J:85767, Burns KH; Owens GE; Ogbonna SC; Nilson JH; Matzuk MM. Expression profiling analyses of gonadotropin responses and tumor development in the absence of inhibins., *Endocrinology* 2003 Oct;144(10):4492-507

J:82678, Lukas-Croisier C; Lasala C; Nicaud J; Bedecarras P; Kumar TR; Dutertre M; Matzuk MM; Picard JY; Josso N; Rey R. Follicle-Stimulating Hormone Increases Testicular Anti-Müllerian Hormone (AMH) Production through Sertoli Cell Proliferation and a Nonclassical Cyclic Adenosine 5'-Monophosphate-Mediated Activation

of the AMH Gene., Mol Endocrinol 2003 Apr;17(4):550-61

J:81519, Abel MH; Huhtaniemi I; Pakarinen P; Kumar TR; Charlton HM, Age-related uterine and ovarian hypertrophy in FSH receptor knockout and FSHbeta subunit knockout mice., Reproduction 2003 Feb;125(2):165-73

J:108808, Kumar TR; Varani S; Wreford NG; Telfer NM; de Kretser DM; Matzuk MM, Male reproductive phenotypes in double mutant mice lacking both FSHbeta and activin receptor IIA., Endocrinology 2001 Aug;142(8):3512-8

J:71936, Burns KH; Yan C; Kumar TR; Matzuk MM, Analysis of ovarian gene expression in follicle-stimulating hormone beta knockout mice., Endocrinology 2001 Jul;142(7):2742-51

J:71932, Wreford NG; Rajendra Kumar T; Matzuk MM; de Kretser DM, Analysis of the testicular phenotype of the follicle-stimulating hormone beta-subunit knockout and the activin type II receptor knockout mice by stereological analysis., Endocrinology 2001 Jul;142(7):2916-20

J:55802, Kumar TR; Palapattu G; Wang P; Woodruff TK; Boime I; Byrne MC; Matzuk MM, Transgenic models to study gonadotropin function: the role of follicle-stimulating hormone in gonadal growth and tumorigenesis., Mol Endocrinol 1999 Jun;13(6):851-65

J:105227, Zhou J; Kumar TR; Matzuk MM; Bondy C, Insulin-like growth factor I regulates gonadotropin responsiveness in the murine ovary., Mol Endocrinol 1997 Dec;11(13):1924-33

J:38099, Kumar TR; Wang Y; Lu N; Matzuk MM, Follicle stimulating hormone is required for ovarian follicle maturation but not male fertility., Nat Genet 1997 Feb;15(2):201-4

Contributing Projects:

Mouse Genome Database (MGD), Gene Expression Database (GXD), Mouse Tumor Biology (MTB), Gene Ontology (GO), MouseCyc

[Citing These Resources](#)

[Funding Information](#)

[Warranty Disclaimer & Copyright Notice](#)

[Send questions and comments to User](#)

[Support](#)

last database update

06/07/2008

MGI_4.02

[Web browser compatibility](#)

